
AD-A084 946
ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/20
TOPICAL HAZARD EVALUATION PROGRAM OF CAMDIDATE INSECT REPELLENT--ETC(U)
MAY 80 A W SINGER
UNCLASSIFIED USERNA-75-51-0854-80
NI END A" A" #542 KB DATE FILMED 7 80 DTIC





LEVE (12)

# UNITED STATES ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERBEEN PROVING GROUND, MB 21016

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-36016
PHENETHYL 2-FUROATE
STUDY NO. 75-51-0854-80
MARCH 1976 - MARCH 1980

SELECTE MAY 2 9 1980

Approved for public release; distribution unlimited.

80 5 29 030

<u>Unclassified</u>				
	REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS		
14		BEFORE COMPLETING FORM  3. RECIPIENT'S CATALOG NUMBER		
USA EHA	-75-51-6854-86) AD-A084 946			
	Topical Hazard Evaluation Program of Candidate	nept.		
9	Insect Repellent AI3-36016, Phenethyl 2-Furoate	Final		
	1989 . March 1976 to March	6. PERFORMING ORG. REPORT NUMBER		
'	7. AUTHORA	S. CONTRACT OR GRANT HUMBER(s)		
. (10)	ALLEN N./SINGER CPT, VC			
	US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
	11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE  Net 76 - Mar 80		
	Commander US Army Health Services Command	13. NUMBER OF PAGES		
	Fort Sam Houston TX 78234  14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	18. SECURITY CLASS. (of this report)		
	<u>'</u>	Unclassified		
ŀ		18. DECLASSIFICATION/DOWNGRADING SCHEDULE		
	16. DISTRIBUTION STATEMENT (of this Report)	and the training of the second section of the second		
	Approved for public release; distribution unlimited.  11. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  18. SUPPLEMENTARY NOTES			
,	19. KEY WORDS (Continue on reverse elde if necessary and identity by block number) AI3-36016 Photoirritation Phenethyl 2-Furoate Acute Ingestion Hazard Candidate Repellent Topical Hazard Evaluation Eye Irritation USDA Proprietary Compound Skin Irritation			
•	A preliminary hazard evaluation of AI3-36016 was pe laboratory animal studies using rats, rabbits, and grade compound caused mild primary skin irritation toxic if ingested. It did not cause eye or photoir sensitize guinea pigs. It was recommended that AI3 not be approved for further testing as a candidate	erformed by means of guinea pigs. The technical and proved to be moderately ritation and did not		

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE Unclassified 438150 SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)



#### DEPARTMENT OF THE ARMY CPT Singer/lm/AUTOVON 584-3980 U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERDEEN PROVING GROUND, MARYLAND 21010

23 MAY 1980

HSE-LT-T/WP

SUBJECT: Topical Hazard Evaluation Program of Candidate Insect Repellent

AI3-36016, Phenethyl 2-Furoate, Study No. 75-51-0854-80, March 1976

to March 1980

**Executive Secretary** Armed Forces Pest Management Board Forest Glen Section, WRAMC Washington, DC 20012


A summary of the pertinent findings and recommendations of the inclosed report follows:

A preliminary hazard evaluation of AI3-36016 was performed by means of laboratory animal studies using rats, rabbits, and guinea pigs. The technical grade compound caused mild primary skin irritation and proved to be moderately toxic if ingested. It did not cause eye or photoirritation and did not sensitize guinea pigs. It was recommended that AI3-36016, phenethyl 2-furoate, not be approved for further testing as a candidate insect repellent.

FOR THE COMMANDER:

1 Incl as (5 cy) JOHN F. MAZUR MAJ, MSC Director, Laboratory Services

HQDA (DASG-PSP) Cdr, HSC (HSPA-P) Dir, Advisory Ctr on Tox, NRC Supt, AHS (HSA-IPM)
USDA, ARS (Dr. Terrence McGovern) USDA, ARS-Southern Region







## DEPARTMENT OF THE ARMY U.S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

HSE-LT-T/WP

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-36016
PHENETHYL 2-FUROATE
STUDY NO. 75-51-0854-80
MARCH 1976 - MARCH 1980

#### 1. AUTHORITY.

- a. Letter, US Department of Agriculture Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 11 March 1976.
- b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command; the Department of the Army Office of The Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, Agricultural Research, Science and Education Administrations; titled, Coordination of Biological and Toxicological Testing of Pesticides, effective 23 January 1979.
- 2. REFERENCE. Toxicology Division Procedural Guide, US Army Environmental Hygiene Agency (USAEHA), 1972, revised 1976.
- 3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-36016.
- 4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-36016, phenethyl 2-furoate, was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:\*†

Approved for public release; distribution unlimited.



<sup>\*</sup> In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1978.

t The experiments reported herein were performed in animal facilities fully accredited by the American Association for the Accreditation of Laboratory Animal Care.

### TABLE. PRESENTATION OF DATA

Test	Results	Interpretation
SKIN IRRITATION STUDIES		
Rabbits		
Single 24-hour application to intact and abraded skin of New Zealand White rabbits.  0.5 mL technical grade compound applied to each	Compound AI3-36016 caused a mild irritation of the intact skin and the skin surrounding an abrasion.	USAEHA Category II (ref Appendix).
of six rabbits.		
EYE IRRITATION STUDIES		
Rabbits		
Single 24-hour application of 0.1 mL technical grade compound to one eye of each of six New Zealand White rabbits.		USAEHA Category A (ref Appendix).
APPROXIMATE LETHAL DOSE (ALD)		
<u>Oral</u>		
Rats (male) - no diluent	ALD = 216 mg/kg	May be fatal if accidentally ingested.

Test

Results

Interpretation

#### PHOTOCHEMICAL SKIN IRRITATION STUDIES

#### Rabbits

A single 0.05 mL application of a 25 percent (w/v) or solution of the compound and a 10 percent (w/v) 0il i of Bergamot solution (postitive control) in 95 percent ethyl alcohol were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

The ethanol solution Al3-36016 did of Al3-36016 caused not cause a photochemical irritation on all sites. UV irradiation did not potentiate any irritation. Al3-36016 did not cause a photochemical irritation in rabbits and is potentiate any irritation.

AI3-36016 did
not cause a
photochemical
irritation in
rabbits and is
not expected to
cause such a
reaction in humans.
It did, however,
cause a moderate
primary irritation
as applied.

#### Control

Following UV exposures of the rabbits, 0.05 mL of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation at 24, 48 and 72 hours.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

Test

Results

Interpretation

#### SENSITIZATION STUDIES

#### Guinea Pigs (Male)

Intradermal injections of 0.1 mL of a 0.1 percent solution (w/v) of AI3-36016 or of dinitrochlorobenzene (DNCB)\* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs were given 10 sensitizing doses over a 3-week period.
After 2 weeks rest, they were challenged with ID injections of test compound.

Challenge dose of AI3-36016 did not produce a sensitization reaction.

Compound AI3-36016 did not produce a sensitization reaction under test conditions and is not expected to produce a sensitization reaction in man.

Ten positive control guinea pigs were sensitized over 3 weeks with DNCB. After 2 weeks rest, they were challenged with ID injections of DNCB.

Challenge dose of DNCB in positive control guinea pigs produced a marked sensitization reaction in 10 out of 10 guinea pigs.

DNCB produced a marked reaction, indicating the guinea pigs respond to sensitiziny agents.

<sup>\*</sup> A known skin sensitizer

Study No. 75-51-0854-80, Mar 76 - Mar 80

- 5. CONCLUSION. Technical grade compound AI3-36016 caused mild skin irritation and is acutely toxic by ingestion. Due to the inherent oral toxicity, this compound does not qualify as a nonhazardous repellent.
- 6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended that AI3-36016, Phenethyl 2-furoate, not be approved for further testing as a candidate insect repellent.

alla Wisinger

ALLEN W. SINGER

CPT, VC

Veterinary Animal Laboratory Officer

Toxicology Division

APPROVED:

ARTHUR H. McCREESH, Ph.D. Chief, Toxicology Division

and H. Wood

Study No. 75-51-0854-80, Mar 76 - Mar 90 APPENDIX

## TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

<u>CATEGORY I</u> - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

<u>CATEGORY II</u> - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

<u>CATEGORY IV</u> - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation, and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

<u>CATEGORY V</u> - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

#### EYE CATEGORIES:

- A. <u>Compounds noninjurious to the eye</u>. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.
- B. <u>Compounds producing mild injury to the cornea</u>. INTERPRETATION: Should be used with caution around the eyes.
- C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.
- D. <u>Compounds producing moderate injury to the cornea</u>. INTERPRETATION: Should be used with extreme caution around the eyes.
- E. <u>Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva</u>. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.
- F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.